

STEERING HARDWARE

Extension Plate–Steering

Standard equipment on remote control models. Forward hole used for connection of engine tie bar for twin applications.

BF8D, BF9.9D, BF15D, BF20D	
Extension Plate–Steering	53234-ZW9-830



Friction Kit

Allows friction and lock adjustment for remote and tiller models.

BF8D–BF20D	
Friction Kit	06502-ZW9-010



Steering Tube Seal (Salt Water)

Stainless steel construction.

Includes: Grease fitting and sealing O-ring, protects and lubricates steering cable.

BF8D–BF50	
Steering Tube Seal (Salt Water)	50899-ZV5-020AH



Steering Tube Seal (Fresh Water)

Black anodized aluminum.

Includes: Grease fitting and sealing O-ring, protects and lubricates steering cable.

BF8D–BF50	
Steering Tube Seal (Fresh Water)	50899-ZV5-000AH



Motor Mount Steering Kit

Includes: Stainless steel clamp-on steering tube, stainless link arm and steering plate, all hardware.

Allows standard remote cable steering.

BF9.9A, BF15A	
Motor Mounting Steering Kit	08M61-ZV4-B00



Extension Plate–Steering

Standard equipment on remote control models. Forward hole used for connection of engine tie bar for twin applications.

BF25/30	
Extension Plate – Steering	53234-ZV7-781



STEERING HARDWARE

Dual Engine Tie Bar

Right/left hand threaded ends enable easy adjustment without disconnecting. Stainless steel construction.

Minimum length = 18.5 in.
Maximum length = 29.5 in.

Note: See the Honda Rigging Guide for more information and selections of tie bars for hydraulic steering.

BF25~BF150	
Dual Engine Tie Bar	50850-ZV5-000AH



Extension Plate–Steering

Used for connecting tie bar for twin applications. Two each required for twin engine connection. Requires mounting bolts.

BF75/90, BF100A	
Extension Plate–Steering	53234-ZW1-010



Extension Plate–Steering

Used for connecting tie bar for twin applications. Two each required for twin engine connection. Requires mounting hardware also.

Extension Plate Mounting Hardware

2 each required for each engine. Price is for one piece.

BF115/130	
Extension Plate–Steering	53234-ZW5-010



Extension Plate–Steering

Used for connecting tie bar for twin applications. Two each required for twin engine connection. Requires mounting hardware also.

BF35/50	
Extension Plate–Steering	17852-ZV5-821



Link Arm Kit

BF135A, BF150A, BF200A, BF225A, BF250A	
Link Arm Kit	06532-ZY3-U00



STEERING HARDWARE

Extension Plate Mounting Hardware

Two each required for each engine.
Price is for one piece.

Extension Plate Mounting Hardware, Stud	90109-ZV5-000
Nut	90306-ZV5-003
Washer	90514-ZV4-000



Extension Plate Mounting Bolt

Two required for each engine. (10 x 25)

Extension Plate Mounting Bolt	90154-ZW9-000
-------------------------------	---------------



Morse Hynautic Link Arm

For use with Morse front mount Honda K-6H hydraulic steering cylinder.

Morse Hynautic Link Arm	53238-ZW1-010AH
-------------------------	-----------------



STEERING HARDWARE

THIS PAGE INTENTIONALLY LEFT BLANK.