



# Performance Criteria



**Manufacturer:** Bennington  
**Model:** 2250 RFS  
**Hull Type:** Pontoon  
**Test Date:** September 26, 2003  
**Mfg. Address:** Elkhart, IN

## Test Data

RPM	MPH	GPH	MPG
Idle	-		
1000	3.6		
1500	5.2		
2000	7.2		
2500	8.8		
3000	13.8		
3500	17.9		
4000	21.3		
4500	25.4		
5000	29.8		
5500	32.4		
6000	35.3		
6400 (WOT)	37.9		

Length:	22' 0"
Beam:	8' 6"
Weight:	2,200 lbs
Max HP:	175 hp
Fuel Capacity:	20 gal

**Power:** Single BF150

Horsepower:	150
Displacement:	2.4 L
Weight:	485 lbs.
Gear Ratio:	2.14:1
Mounting Height:	2 <sup>nd</sup> Hole
Prop (Material/Blades)	Stainless (3)
Prop Manufacturer	Solas
Prop (Diameter/Pitch)	15 1/2 x 15

## Test Conditions

No. of People:	2
Fuel Load:	
Total Weight:	3,317 lbs
Air Temperature:	
Test Conditions	
Elevation:	
Wind Velocity:	

Data may vary due to changes in weather, elevation and load conditions. Speed data gathered by GPS receiver.

Time to Plane: Seconds

Acceleration 0~20 MPH: Seconds