



Performance Criteria



Manufacturer: Triton
Model: 2300 Walkaround
Hull Type: Fiberglass
Test Date: June 9, 2001
Mfg. Address: 15 Bluegrass Drive
 Ashland City, TN 37015

Test Data

RPM	MPH	GPH	MPG
Idle	-	-	-
1000	4.4	.8	5.5
1500	6.6	1.4	4.7
2000	7.9	2.4	3.3
2500	8.5	3.6	2.4
3000	9.9	5.4	1.8
3500	21.8	7.9	2.8
4000	29.2	9.4	3.1
4500	34.0	11.6	2.9
5000	37.1	13.1	2.8
5500 (WOT)	44.7	19.2	2.3

Length:	23' 6"
Beam:	8' 6"
Weight:	3,100 lbs
Max HP:	300 hp
Fuel Capacity:	150 gal

Power: Single BF225

Horsepower:	225
Displacement:	3.5 L
Weight:	589 lbs.
Gear Ratio:	1.86:1
Mounting Height:	2 nd Hole
Prop (Material/Blades)	Stainless (3)
Prop Manufacturer	Mercury
Prop (Diameter/Pitch)	14 1/2 x 21

Test Conditions

No. of People:	2
Fuel Load:	
Total Weight:	5,206 lbs
Air Temperature:	
Test Conditions	
Elevation:	
Wind Velocity:	

Data may vary due to changes in weather, elevation and load conditions. Speed data gathered by GPS receiver.

Time to Plane: Seconds

Acceleration 0~20 MPH: Seconds