# HONDA

# **Residential Lawn Mowers**







Top Left:
Honda CRF450R

Top Right:
Honda Accord Sport 2.0T

Above:
Honda Humanoid Robot

Right:
HondaJet



# GENUINE HONDA

When it comes to maintaining a beautiful lawn, nothing makes the cut like a genuine Honda lawn mower. Behind every exclusive feature, you'll find technology that crosses our entire product line. Technology born and tested on racetracks and roadways around the globe that continuously keeps us on the cutting edge. From automobiles, race cars, motorcycles and all-terrain vehicles to marine engines, general-purpose engines and power equipment products, Honda is committed to designing products that meet or exceed the demands of our customers throughout the world. In fact, all Honda Lawn and Garden products are both EPA and California ARB emission certified for all 50 states.

Throughout our history, Honda has been dedicated to technological and environmental innovation, and today is no different. After all, we have a legendary reputation to live up to. A reputation for unsurpassed quality, performance, and reliability. A reputation worth considering the next time you're in the market for a new lawn mower.





# Honda Firsts In Advanced Technology



# The First Lawn Mower to Feature the Roto-Stop® BSS

In 1978, Honda introduced the BSS (Roto-Stop®) on the HR21 as a safety and convenience feature that stops

the blade while the engine continues running. It was so revolutionary, it helped establish new lawn mower safety regulations in the U.S. The Roto-Stop® Blade Stop System is currently available on many Honda Lawn Mower models.



# The First Lawn Mower to Feature a Hydrostatic Drive

Honda is the only manufacturer to offer a Hydrostatic transmission on a 21" walk behind mower, providing

precise and repeatable speed settings across all mowing conditions. Available on several Honda Lawn Mower models.



# The First Lawn Mower to Feature a NeXite® Deck

Honda is the only manufacturer to use NeXite®, a rust-proof, dent-proof material for its HRX moving decks,

backed with a lifetime warranty.\* NeXite® is so strong that it can stand the weight of a parked vehicle. (Not that we recommend this!) Exclusively available on the HRX series.



### The First Lawn Mower to Feature an Overhead Valve Engine

Developed in 1983, Honda was the first manufacturer to use a four stroke, overhead valve engine on a

walk behind lawn mower. The advantage to consumers was a quieter, more fuel efficient engine that provided easier starting and offered better overall performance.



### The First Lawn Mower to Feature an Overhead Cam Engine

Honda was the first lawn mower manufacturer to develop an overhead cam engine for use on a walk behind

lawn mower. Introduced in 1997, the GCV160 engine offers lighter weight, less mechanical noise, improved fuel efficiency and the world's first small engine internal timing belt.



# The First Lawn Mower to Feature the Versamow System

The Versamow System, developed and introduced by Honda in 2003, is the only one of its kind, giving the

user complete flexibility and control of grass flow during the mulching or bagging process. Exclusively available on the HRX series.

only from Honda.

### The Twin Blade Advantage

Honda HRX and HRR models have an exclusive feature no one else offers, The Twin Blade Advantage. With each rotation of the blades, your lawn is cut, then cut again for a smooth, even surface. But that's just the beginning. Twin blades repeatedly chop up each blade of grass, producing finer clippings, and that means when mulching,



it's easier for valuable nutrients to go back onto your lawn to help feed it and keep it green. It also means when bagging, you'll be emptying a lot less often because the smaller clippings allow your bag to hold more. A perfect cut, better lawn care and less work for you, that's the Twin Blade Advantage—

### FEATURES & BENEFITS



The enjoyment of caring for your lawn begins with an exceptional lawn mower. One where the reliable engine, durable deck, handlebars and controls have been carefully thought-out, then crafted to meet safety standards and provide ease of operation. Do we obsess about our lawn mowers? Yes, but that's so you won't have to. All you have to do is make the smart choice in Honda.



On All HRX Series Lawn Mowers



On All HRS And HRR Series Lawn Mowers



### One Reliable Honda Engine For All

Honda certifies to all applicable CARB and EPA emission requirements by offering lawn mower engines with 50-state certification. The development of one engine for use in all 50 states continues to reflect Honda's forward thinking with regard to emission regulations, air quality, and the needs of our customers.



### The Unique, Time Saving Honda Twin Blade System

Only Honda Lawn Mowers feature a twin blade mowing system. The MicroCut® System on the HRR and HRX models provide four cutting surfaces for ultra fine clippings resulting in better mulching and increased bag capacity, which saves you time. Grass is cut into tiny pieces that quickly decompose and add money-saving nutrients to your lawn.

# Rugged & Reliable Honda Decks

We offer two great mowing decks.
HRS and HRR models feature our
heavy-duty steel deck while HRX models
feature our exclusive NeXite® mowing
deck that is tough, resilient, easy to clean,
and comes with a lifetime warranty.\*







### **Choose Your Own Speed** With Adaptable Choices **Of Transmission Controls**

With Honda, you have simple, precise speed control at your fingertips. Choose from the adjustable, variable speed Smart Drive, our infinitely variable speed Honda Select Drive<sup>®</sup> System, or the hydrostatic drive transmission with Cruise Control.

Honda Select Drive® System allows you to easily adjust the mower's maximum speed to your stride by rotating the speed adjust dial. Then simply engage and vary the Select Drive<sup>™</sup> control while moving for intuitive, comfortable speed control.

Honda transmissions offer time-saving features that allow you to walk at your own pace while easily adjusting ground speed to match moving conditions.

See specifications chart for details.



4-in-1 Versamow System With Clip Director® Mulch, bag, rear discharge or leaf shred with no parts to lose and no tools required. (HRX only)



Clip Director® Mulch, bag or rear discharge with a simple turn of the Clip Director® - no parts to lose and no tools required. (HRR only)

3-in-1 System With



Easy On/Off Grass Bag Our HRR and HRX model grass bags make it easier than ever to empty clippings, saving you time and effort. An optional low dust bag is available for HRX models.



**Height Adjustment System** Six or seven adaptable mowing height adjustments from 3/4" to 4" (depending on model) to suit your particular mowing needs.



Honda Select Drive® System



Cruise Control

Smart Drive

### 4-IN-1 VERSAMOW SYSTEM WITH CLIP DIRECTOR®

## Simple To Use, 4-in-1\* Adaptability Saves You Time And Money



Standard Rear Bag Large capacity, easy on/off grass bag.



**Exclusive Twin Blade Mulching** The MicroCut® System offers twin blades for precise cutting and finer mulching.



**Rear Discharge Chute** For mowing open areas when bagging or mulching is not desired.



**Leaf Shredding** Means more leaves per bag and less emptying of bags for spring and fall clean-up.



# A Great Lineup, All Engineered And Built By Honda

Every one of our HRS and HRR lawn mowers is engineered by Honda from the ground up,

which means you can depend on every part of these lawn mowers from the powerful, easy-starting engines to the exclusive Twin Blade Advantage of the MicroCut® System (HRR models). The legendary reliability you've learned to expect from Honda is built right in.

HRR MODELS

### HRS & HRR MODELS

### HRS MODELS



**HRS216PKA**Push type, side discharge/mulcher with Auto Choke

HRR216PKA
Push type; Auto Choke;
3-in-1 bag, mulch or discharge
with Clip Director®



HRR216VKA

Honda adjustable, variable speed Smart Drive;
Auto Choke; 3-in-1 bag, mulch or discharge
with Clip Director®



Honda adjustable, variable speed Smart Drive; side discharge/mulcher with Auto Choke



Honda adjustable, variable speed Smart Drive; Auto Choke; 3-in-1 bag, mulch, or discharge with Clip Director®; self charging Electric Start



Honda adjustable, variable speed Smart Drive; Auto Choke with Adjustable Throttle Control; Roto-Stop® Blade Stop System; 3-in-1 system with Clip Director®

### HRS & HRR FEATURES



3-in-1 System With Clip Director®

Mulch, bag or rear discharge with no parts to lose and no tools required. (HRR only)



Easy Fold Quick Release Handle

For simple height adjustment and storage.



Honda Adjustable, Variable Speed Smart Drive Control

Easily control the speed when resting hands on the handlebars. (HRS/HRR VKA and HRR VLA & VYA only)



Roto-Stop® Blade Stop System

Start and stop the blade with engine running. (HRR VYA only)



Exclusive Honda Twin Blade MicroCut® System

Features twin blades for superior cut quality, mulching and bagging.
(HRR only)



**Self Charging Electric Start** 

Under normal mowing usage, it is not necessary to charge or maintain the battery. (HRR VLA only)

#### **ADDITIONAL FEATURES:**

Honda 160cc, single-cylinder OHC/OHV engine

Push or adjustable, variable speed Smart Drive

Roto-Stop® Blade Stop System (HRR VYA only)

Self charging Electric Start (HRR VLA only)

Quick release handle

Adjustable throttle control (HRR VYA only)

Ball bearing-supported rear wheels

21" mowing width

6 mowing height adjustments

Side discharge (HRS)/Rear discharge (HRR)

1-blade (HRS) or exclusive Twin Blade MicroCut® System (HRR)

Large easy-off 1.9 bushel Grass Bag (HRR only)

(For all features and specifications, see back page.)







# The Ultimate Lawn Mowing Machines

With unmatched innovation and technology, the Honda HRX Series leads the way in lawn mower engineering.

New for 2019, the HRX Series features an easy-starting and powerful all-new Honda GCV200 engine.

The HRX also offers exclusive and advanced design features like the Versamow System. It allows you to mulch, partially mulch, bag, rear discharge, or shred leaves. There are no tools or attachments to fiddle with, and it's the first lawn mower ever designed to simultaneously distribute clippings to both the bag and ground, providing your yard the benefits of mulching and dramatically reducing the number of times you have to empty the grass bag. The convenient Clip Director® control regulates how much is bagged or mulched.

Engineered and built by Honda, there's nothing else out there like the HRX.



Infinitely variable speed with Honda Select Drive® System; Auto Choke; mulch, bag, discharge or leaf shred with Versamow System; NeXite® mowing deck



Infinitely variable speed with Honda Select Drive® System; Auto Choke with Adjustable Throttle Control; mulch, bag, discharge or leaf shred with Versamow System; Roto-Stop® Blade Stop System; NeXite® mowing deck

# HONDA SELLECT DEIME.

#### HRX217VLA

Infinitely variable speed with
Honda Select Drive® System;
mulch, bag, discharge or leaf shred with
Versamow System; Auto Choke System;
NeXite® mowing deck; self charging Electric Start



#### HRX217HYA

Precise and adjustable speed hydrostatic Cruise Control; Auto Choke with Adjustable Throttle Control; mulch, bag, discharge or leaf shred with Versamow System; Roto-Stop® Blade Stop System; NeXite® mowing deck



#### HRX217HZA

Precise and adjustable speed hydrostatic Cruise Control; Auto Choke with Adjustable Throttle Control; mulch, bag, discharge or leaf shred with Versamow System; Roto-Stop® Blade Stop System; NeXite® mowing deck; self charging Electric Start

# **The New Honda GCV200 Engine**


Honda HRX Series lawn mowers offer an easy-starting and powerful new Honda GCV200 engine, with 10% more power\* and torque.

The GCV200's new CycloFlow<sup>™</sup> design strengthens turbulence in the cylinder, providing more stable combustion. This results in lower emissions, improved ease of starting, and greater resistance to low quality fuel.

To improve ease of use and servicing, the GCV200 design includes an optimized oil filler position and a 60% larger fuel filler to prevent spills.



60% Larger Fuel Filler With Tethered Gas Cap







### HRX FEATURES





### Roto-Stop® Blade Stop System

If you need to stop the blade without shutting off the mower, Roto-Stop® does it in a flash. That way, you can empty the bag without having to restart the engine. (Available on HRX HYA & HZA [above left] and HRX VYA [above right] only)



Mulch, bag, rear discharge or leaf shred with no attachments to lose and no tools required.



#### **NeXite® Deck**

The HRX deck is constructed of advanced and extremely durable NeXite® material that does not dent, rust or corrode over time. Developed for Honda, NeXite® is exclusive on Honda HRX lawn mowers.

### **HRX STANDARD FEATURES:**

Honda 4-stroke 200cc, single-cylinder OHV engine

4-in-1 Versamow System with Clip Director®

**Durable NeXite® deck** 

21" mowing width

Choice of infinitely variable speed Honda Select Drive® System or Hydrostatic Transmission with Cruise Control

Rear discharge with no attachments

9" ball bearing-supported wheels

Exclusive twin blade MicroCut® System

Choice of flywheel brake or Roto-Stop® Blade Stop System

3-position, Quick Release adjustable handle

**Sealed control cables** 

Large 2.5 bushel capacity grass bag

7 mowing heights: 3/4" to 4"

(For all features and specifications, see back page.)



#### **Cruise Control**

The HRX HYA and HZA models offer Honda's exclusive hydrostatic transmission that allows precise and adjustable speed control so you can walk at your own pace and still get an excellent cut.



### Infinitely Variable Speed Honda Select Drive® System

Intuitive, comfortable, convenient speed control from 0 to 4 mph right in the palm of your hands. (HRX VKA, VLA & VYA only)



Auto Choke System Eliminates need to choke engine prior to starting.



#### **Exclusive MicroCut® System**

Designed specifically to work with the HRX deck, the Honda MicroCut® twin blade system uses four cutting surfaces that result in more efficient bagging and mulching. When bagging, MicroCut® means you can mow farther before emptying the bag.



### Honda's Self Charging Electric Start

Effortless and convenient automotive style key start. Under normal mowing usage, it is not necessary to charge or maintain the battery.' A charge coil charges the on-board battery while the lawn mower is in use. (HRX VLA & HZA only)

\*Optional battery charger available.









## Move Up with Honda

BLADE

Choose the model features you need to simplify your lawn mowing and **Move Up** to the Honda Lawn Mower with the best combination of innovative features to meet your needs.



| Model                         | PKA  | VKA   | PKA   | VKA  | VLA   | VYA  | VKA   | VLA   | VYA  | НҮА  | HZA   |  |
|-------------------------------|--|---|---|--|---|--|---|---|--|--|---|--|
| Exclusive<br>Twin Blades      | Optio  | onal  | MicroCut® Twin Blade System                     |  |   |  |   |   |  |  |   |  |
| Configuration And Capability  | 2-in-1 Mulch   | /Discharge                                      | -   | 3-in-1 System with<br>s or attachments   | •   | •  | 4-in-1 Versamow System with Clip Director® —<br>No tools or attachments. Mulch/Bag/Leaf Shred/Discharge |   |  |  |   |  |
| Blade Safety<br>System        | Flywheel<br>brake  | Flywheel<br>brake                               | Flywheel<br>brake                               | Flywheel<br>brake  | Flywheel<br>brake                                     | Roto-Stop®<br>BSS  | Flywheel<br>brake   | Flywheel<br>brake                                     | Roto-Stop®<br>BSS  | Roto-Stop®<br>BSS  | Roto-Stop®<br>BSS   |  |
| Transmission<br>Control       | Push   | Adjustable,<br>Variable Speed<br>Smart Drive    | Push  | Adjustable,<br>Variable Speed<br>Smart Drive                                     | Adjustable,<br>Variable Speed<br>Smart Drive          | Adjustable,<br>Variable Speed<br>Smart Drive             | Infinitely<br>Variable Speed<br>Select Drive  | Infinitely<br>Variable Speed<br>Select Drive™         | Infinitely<br>Variable Speed<br>Select Drive™            | Hydrostatic<br>Cruise Control                            | Hydrostatic<br>Cruise Control   |  |
| Starter                       | Recoil   | Recoil  | Recoil  | Recoil   | Electric/Recoil                                       | Recoil   | Recoil  | Electric/Recoil                                       | Recoil   | Recoil   | Electric/Recoil   |  |
| Wheels                        | 8" Poly  | 8" Poly   | 8" Poly   | 8" Poly  | 8" Poly   | 8" Poly  | 9" Poly   | 9" Poly   | 9" Poly  | 9" Poly  | 9" Poly   |  |
| # of Wheel Positions          | 6  | 6   | 6   | 6  | 6   | 6  | 7   | 7   | 7  | 7  | 7   |  |
| Cutting Height                | 11/8"- 4"  | 11/8"- 4"                                       | 1%"- 4"   | 11/8"- 4"  | 11/8"- 4"   | 1%"- 4"  | 3/4"- 4"  | ³¼"- <b>4</b> "                                       | ¾" <b>- 4</b> "  | ¾" <b>- 4</b> "  | ³/₄"- <b>4</b> "  |  |
| Handle Height<br>Positions    | Quick Release<br>2-Position                                  | Quick Release<br>2-Position                     | Quick Release<br>2-Position                     | Quick Release<br>2-Position  | Quick Release<br>2-Position                           | Quick Release<br>2-Position                              | Quick Release<br>3-Position   | Quick Release<br>3-Position                           | Quick Release<br>3-Position                              | Quick Release<br>3-Position                              | Quick Release<br>3-Position   |  |
| Engine                        | Honda<br>GCV160<br>w/Auto Choke<br>System (ACS)              | Honda<br>GCV160<br>w/Auto Choke<br>System (ACS) | Honda<br>GCV160<br>w/Auto Choke<br>System (ACS) | Honda<br>GCV160<br>w/Auto Choke<br>System (ACS)                                  | Honda<br>GCV160<br>Self Charging<br>Electric<br>w/ACS | Honda<br>GCV160<br>w/ACS and<br>adj. throttle<br>control | Honda<br>GCV200<br>w/Auto Choke<br>System (ACS)   | Honda<br>GCV200<br>Self Charging<br>Electric<br>w/ACS | Honda<br>GCV200<br>w/ACS and<br>adj. throttle<br>control | Honda<br>GCV200<br>w/ACS and<br>adj. throttle<br>control | Honda GCV200<br>Self Charging<br>Electric w/ACS<br>and adj.<br>throttle control |  |
| Deck Material                 | Steel 16 ga  | Steel 16 ga                                     | Steel 16 ga                                     | Steel 16 ga Steel 16 ga Steel 16 ga Steel 16 ga NeXite® with Lifetime Warranty** |   |  |   |   |  |  |   |  |
| Ground Speed                  | N/A  | 0 to 4 mph                                      | N/A   | 0 to 4 mph   | 0 to 4 mph  | 0 to 4 mph   | 0 to 4 mph  | 0 to 4 mph  | 0 to 4 mph   | 0 to 4 mph   | 0 to 4 mph  |  |
| Bag Capacity (bushels)        | N/A  | N/A   | 1.9   | 1.9  | 1.9   | 1.9  | 2.5   | 2.5   | 2.5  | 2.5  | 2.5   |  |
| Emissions                     | EPA and California ARB Emissions Certified for All 50 States |   |   |  |   |  |   |   |  |  |   |  |
| Warranty*                     | 36 mo.   | 36 mo.  | 36 mo.  | 36 mo.   | 36 mo.  | 36 mo.   | 60 mo.  | 60 mo.  | 60 mo.   | 60 mo.   | 60 mo.  |  |
| Deck Warranty*                | 36 mo.   | 36 mo.  | 36 mo.  | 36 mo.   | 36 mo.  | 36 mo.   | Lifetime**  | Lifetime**  | Lifetime**   | Lifetime**   | Lifetime**  |  |
| Engine Warranty*              | 36 mo.   | 36 mo.  | 36 mo.  | 36 mo.   | 36 mo.  | 36 mo.   | 60 mo.  | 60 mo.  | 60 mo.   | 60 mo.   | 60 mo.  |  |
| Warranty<br>Commercial/Rental | 3 mo.  | 3 mo.   | 3 mo.   | 3 mo.  | 3 mo.   | 3 mo.  | 3 mo.   | 3 mo.   | 3 mo.  | 3 mo.  | 3 mo.   |  |



- \* Warranty, Deck Warranty and Engine Warranty apply to non-commercial use only. Visit powerequipment.honda.com for details.
- \*\* Lifetime Deck Warranty applies to any new HRX Series mower. Deck warranty is valid for the original purchaser and non-commercial use only.

For additional warranty details, see your local Honda Power Equipment Dealer or visit our website at powerequipment.honda.com.

# Looking for a Premier Level of Customer Service from Your Honda Dealer? Now You Have It.

With President Hotel WW.

With the new Honda Premier Service and Honda Premier Dealership designations, we're making it even easier to find the best local dealers for Honda Power Equipment sales, service, and support at <a href="https://www.powerequipment.honda.com/dealer-locator.">www.powerequipment.honda.com/dealer-locator.</a>

Visit our website anytime to search for the dealer nearest you—from our network of more than 3,000 authorized Honda dealers nationwide— and see the latest information on equipment and accessories.

### Why choose a Honda Premier Service dealer?

Honda Premier Service dealers meet the highest customer satisfaction standards for Honda warranty, service and parts—*no matter where you purchased your Honda product*. You can always count on a Honda Premier Service Dealer to:



- · Be responsive and professional
- Have highly trained service technicians who have gone through Honda's exclusive Honda Power Training curriculum
- · Have the necessary tools to get the job done right
- · Complete warranty repairs within 10 calendar days of the repair order

### Why choose a Honda Premier Dealership?

In addition to meeting the superior warranty, service and parts standards of a Honda Premier Service dealer, these dealerships perform at the highest level and have attained the highest standards by providing the best overall customer experience set by Honda. Honda Premier Dealerships provide the best overall customer experience through:



- Additional Premier Performance training for their staff
- · Superior product knowledge to help with all your purchases
- · Participation in all sales programs as well as other business standards

For the highest quality in sales and service support, look for the Honda Premier Service and Honda Premier Dealerships in your area or find them online at <a href="https://www.powerequipment.honda.com/dealer-locator">www.powerequipment.honda.com/dealer-locator</a>.

|   | Н            | $RS^*$      | HRR*       |            |               |            | HRX*       |               |            |            |                                 |  |
|---|--------------|-------------|------------|------------|---------------|------------|------------|---------------|------------|------------|---------------------------------|--|
| FEATURES  | HRS216PKA    | HRS216VKA   | HRR216PKA  | HRR216VKA  | HRR216VLA     | HRR216VYA  | HRX217VKA  | HRX217VLA     | HRX217VYA  | HRX217HYA  | HRX217HZA                       |  |
| Honda GCV Series Engine   | •            | •           | •          | •          | •             | •          | •          | •             | •          | •          | •                               |  |
| 21" Mowing Decks STEEL  | •            | •           |            | •          | •             | •          |            |               |            |            |                                 |  |
| NeXite®   |              |             |            |            |               |            | •          | •             | •          | •          | •                               |  |
| Manual Fuel Shut-Off Valve<br>Quick Release Adjustable/Folding Handlebars | •            | •           | •          | •          | •             | •          | •          | •             | •          | •          | •                               |  |
| Muffler/Heat Protector  | •            | •           | •          | •          | •             | •          | •          | •             | •          | •          | •                               |  |
| ErgoActive Handle   |              |             |            |            |               |            | •          | •             | •          | •          | •                               |  |
| EZ Grip ErgoActive Handle   |              | •           |            | •          | •             | •          |            |               |            |            |                                 |  |
| Sealed Control Cables   |              |             |            |            |               |            | •          | •             | •          | •          | •                               |  |
| MicroCut® Twin Blade System   |              |             | •          | •          | •             | •          | •          | •             | •          | •          | •                               |  |
| 3-in-1 System with Clip Director* (Mulch/Bag/Discharge)                   |              |             | •          | •          | •             | •          |            |               |            |            |                                 |  |
| 4-in-1 Versamow System (Mulch/Bag/Discharge/Leaf Shred) Flywheel Brake    | •            | •           |            | •          | •             |            | •          | •             | •          | •          | •                               |  |
| Roto-Stop® Blade Stop System  | <del>_</del> |             |            |            |               | •          |            |               | •          | •          | •                               |  |
| Adjustable Throttle Control   |              |             |            |            |               | •          |            |               | •          | •          | •                               |  |
| Transmission Types PUSH   | •            |             | •          |            |               |            |            |               |            |            |                                 |  |
| SMART DRIVE   |              | •           |            | •          | •             | •          |            |               |            |            |                                 |  |
| Honda SELECT DRIVE®   |              |             |            |            |               |            | •          | •             | •          |            |                                 |  |
| CRUISE CONTROL HYDROSTATIC DRIVE  |              |             | N/4        |            | D. II         |            |            |               |            | •          | D. II                           |  |
| Drive Type<br>Steel Handles   | N/A<br>1"    | Belt<br>1 " | N/A<br>1"  | Belt<br>1" | Belt<br>1"    | Belt<br>1" | Belt<br>1" | Belt<br>1"    | Belt<br>1" | Belt<br>1" | Belt<br>1"                      |  |
| Discharge Chute   | Side         | Side        | Rear       | Rear       | Rear          | Rear       | Rear       | Rear          | Rear       | Rear       | Rear                            |  |
| Leaf Shredder   | Jiuc         | Siuc        | Near       | Iteal      | INGAI         | Iteai      | INT**      | INT**         | INT**      | INT**      | INT**                           |  |
| Grass Bag   | N/A          | N/A         | •          | •          | •             | •          | •          | •             | •          | •          | •                               |  |
| Residential Warranty – 3-years  | •            | •           | •          | •          | •             | •          |            |               |            |            |                                 |  |
| Residential Warranty – 5-years  |              |             |            |            |               |            | •          | •             | •          | •          | •                               |  |
| Lifetime Residential Deck Warranty <sup>†</sup>                           |              |             |            |            |               |            | •          | •             | •          | •          | •                               |  |
| Commercial Warranty – 90-day  |              | 0           | 0          | •          | 0             | •          |            |               | 0          | •          | 0                               |  |
| ACCESCIDIES Single Mulching Blade   | CTD          | STD         |            |            |               |            |            |               |            |            |                                 |  |
| ACCESSORIES Single Mulching Blade MicroCut* Twin Blade                    | STD<br>OPT   | OPT         | STD        | STD        | STD           | STD        | STD        | STD           | STD        | STD        | STD                             |  |
| Deck Edge Guard Kit   |              | <u> </u>    | OID .      | OID        | OID .         | 0.5        | OPT        | OPT           | OPT        | OPT        | OPT                             |  |
| Spark Arrestor  | OPT          | OPT         | OPT        | OPT        | OPT           | OPT        | OPT        | OPT           | OPT        | OPT        | OPT                             |  |
| 120VAC Battery Charger  |              |             |            |            | OPT           |            |            | OPT           |            |            | OPT                             |  |
| 27772   |              |             |            |            |               |            |            |               |            |            |                                 |  |
| SPECS Honda GCV160 OHC/OHV Engine   | •            | •           |            | •          | •             | •          |            |               |            |            |                                 |  |
| Honda GCV200 OHV Engine   | Recoil       | Recoil      | Recoil     | Recoil     | Elec./Recoil  | Recoil     | Recoil     | Elec./Recoil  | Recoil     | Recoil     | Elec./Recoil                    |  |
| Starting<br>Automatic Choke   | Necon        | Necoli      | Recoil     | Necoli     | Elec./ Recoil | Necon      | Recoil     | Elec./ Recoil | RECOIL     | Necon      | Elec./ Recoil                   |  |
| Fuel Capacity (gallons)   | 0.25         | 0.25        | 0.25       | 0.25       | 0.25          | 0.25       | 0.24       | 0.24          | 0.24       | 0.24       | 0.24                            |  |
| Ground Speed (mph)  | N/A          | 0 to 4      | N/A        | 0 to 4     | 0 to 4        | 0 to 4     | 0 to 4     | 0 to 4        | 0 to 4     | 0 to 4     | 0 to 4                          |  |
| Handle Height Adjustments TWO   | •            | •           | •          | •          | •             | •          |            |               |            |            |                                 |  |
| THREE   |              |             |            |            |               |            | •          | •             | •          | •          | •                               |  |
| Mowing Height Adjustments   | 6            | 6           | 6          | 6          | 6             | 6          | 7          | 7             | 7          | 7          | 7                               |  |
| Mowing Height Range (inches)  | 11/8-4       | 11/8-4      | 11/8-4     | 11/8-4     | 11/8-4        | 11/8-4     | 3/4- 4     | 3/4- 4        | 3/4- 4     | 3/4- 4     | <sup>3</sup> / <sub>4</sub> - 4 |  |
| Ball Bearing Wheels   | Rear<br>8"   | Rear<br>8"  | Rear<br>8" | Rear<br>8" | Rear<br>8"    | Rear<br>8" | All<br>9"  | All<br>9"     | All<br>9"  | All<br>9"  | All<br>9"                       |  |
| Poly Wheels<br>Grass Bag Capacity (bushels)                               | 0            | 0           | 1.9        | 1.9        | 1.9           | 1.9        | 2.5        | 2.5           | 2.5        | 2.5        | 2.5                             |  |
| Dry Weight (lbs.)   | 63           | 71          | 75         | 81         | 90            | 91         | 89         | 95            | 95         | 97         | 106                             |  |
|   |              |             |            |            |               |            |            |               |            |            |                                 |  |

STANDARD - STD OPTIONAL - OPT INTEGRATED - INT\*\*



# HONDA

### Visit us at powerequipment.honda.com

<sup>\*</sup> Specifications apply to HRSK6 and HRSK7 models, HRRK10 and HRRK11 models, and HRXK6 models. †Lifetime Deck Warranty applies to any new, residential-use HRX Series mower. Deck warranty is valid for the original purchaser only. For additional warranty details, see your local Honda Power Equipment Dealer or visit powerequipment.honda.com. \*\* Leaf shredding is integrated with the Versamow System.