

OILS, CHEMICALS, PAINT, & FUEL CANS

Aerosol Touch-up Paints	7-2
Essential Fluids	7-3
Antifreeze/HP Coolant	7-3
Engine Oil	7-3
Fuel Stabilizer	7-3
Hydrostatic Fluid (HST Oil)	7-3
Hypoid Gear Oil	7-3
Power Steering Fluid	7-3
Service Chemicals	7-4
Antiseize	7-4
Carburetor Cleaner (Non-Chlorinated) 50 State Legal	7-4
Contact/Brake Cleaner	7-4
White Lithium Grease	7-4
Hondalube/Rust Penetrant	7-4
Silicone Spray	7-5
Spray Cleaner and Polish	7-5
Assembly and Repair	7-5
Hondalock1	7-5
Hondalock 2	7-5
Hondalock 2HT	7-5
Hondalock 3	7-6
Dielectric Grease	7-6
Moly 60 Paste	7-6
Adhesives and Liquid Gaskets	7-7
Hondabond 4	7-7
Hondabond HT	7-7
Weatherstrip Cement	7-7
Handgrip Cement	7-7
Cleaners and Polishers	7-7
Hondabrite	7-7
Fuel/Gas Cans (No-Spill®)	7-8
Fuel Tester	7-8

^{FM} following a part number indicates a **Fast-Moving** part. The FM designation is for reference only and is NOT part of the actual part number.

Note: Products may be multi-packaged.

OILS, CHEMICALS, PAINT, & FUEL CANS

Aerosol Touch-up Paints

All aerosol paints sold in multiples of 2.

COLOR	COLOR CODE	APPLICATION	PART NUMBER
Black			
Black	NH1	Full-gloss applications	08707-NH1
Matte Black	NH105	Semi-gloss applications	08707-NH105
Blue			
Neptune Blue	PB109	EB12D, EX5500	08707-PB109
Champagne, Grey, Silver			
TUP Rose Champagne Dark Metallic	NHA99M	HRR216K5/K6/K7	08707-NHA99M
Rose Champagne Light Metallic	NHB37M	HRR216K8/K9	08707-NHB37M
Loosey Gray	NH246	HRB215, HRM215 handle pipes	08707-NH246
Vintage Grey Metallic	NH190M	<i>7000-series commercial mowers:</i> CD7036K0/K1, CD7048K0/K1, CD7052, CD7060, CD7136, CD7148 <i>Lawn mowers:</i> HR215K1, HRA216, HRC215K0/K1, HRC216K0/K1/K2/K3, HRS216, HRR216K0/K1/K2, HRT216, HRM195 <i>Riding equipment:</i> HT3810K2, HT3813K1, HT4213, HT-R3009K1, HT-R3811, MM46 (RT5000 tractor)	08707-NH190M
Cloud Silver Metallic	NH35M	<i>Lawn mowers:</i> HR194, HR214, HRA214, HRS21 <i>Riding equipment:</i> H1000~H6000-series, HT3810K0/K1, HT3813K0, HT-R3009K0	08707-NH35M
Gently Silver Metallic	NH192M	HR195, HR215K0, HR216, HRA215, HRM21	08707-NH192M
TUP Pearl Silver Metallic	NHB02M	HRR216K3/K4VXA	08707-NHB02M
Red			
Bright Red	R8	Early engines (fan covers, recoil starters, etc.), Generators, Tillers, Snowblowers, HRC7000-series attachments, and most attachments for lawn, utility, and compact tractors. HA4118/4120 lawn tractors	08707-R8
Diana Red	R136	HT and HT-R-series riding equipment, RT5000 tractor	08707-R136
Jolly Red	R165	H2000~H6000-series riding equipment	08707-R165
Power Red	R280	Power Equipment	08707-R280
White			
McKinley White	NH31	Fuel tanks	08707-NH31

Note: Products may be multi-packaged.

OILS, CHEMICALS, PAINT, & FUEL CANS

Essential Fluids

Antifreeze/HP Coolant

Special blend provides protection against rust and corrosion of all cooling system components. For use in all liquid-cooled Honda Power Equipment. Safe for aluminum components. Requires no further additives. Ready to use, premixed. Convenient 50/50 blend. Uses deionized water. Available in 1 qt. bottles. Multiple of 12.

1 qt. bottle (multiples of 12)	08C50-C321S01
-----------------------------------	---------------

Engine Oil

Always follow recommendations provided in the product owner's manual.

5W-30 qt. bottle (12 per case)	08207-5W30
10W-30 qt. bottle (12 per case)	08207-10W30
30W qt. bottle (12 per case)	08207-30
5W-30 55 gal. drum	08208-5W30
10W-30 55 gal. drum	08208-10W30
30W 55 gal. drum	08208-30



Foam Air Filter Oil

MOTUL oil is specifically designed for foam air filters. The super-tacky formula retains dirt, mud, and sand particles, thereby significantly increasing the life of the engine. The oil also repels water to help keep it from penetrating into the filter.

4 oz. bottle (12 per case)	08207-MTL-100
-------------------------------	---------------



Fuel Stabilizer

Genuine Sta-Bil® formula prevents gasoline-related problems during periods of extended winter storage. Prevents rust, freezing, or gelling of fuel. Keeps jets and float bowls free of gummy residue. Equipment stays "ready-to-use."

8 oz. bottle (12 per case)	08732-0800
32 oz. bottle (12 per case)	08732-3200

Hydrostatic Fluid (HST Oil)

Designed specifically for Honda hydrostatic transmissions. Provides maximum transfer of power; maximum efficiency. Pour point exceeds -50 °C. Note that some Honda hydrostatic transmissions do not use this fluid. Always refer to the shop manual for the correct fluid specification. Resealable 1 qt. bottles. Multiple of 2.

1 qt. bottle (multiples of 2)	08208-HST01
----------------------------------	-------------

Hypoid Gear Oil

Provides protection against wear, scuffing, and corrosion, even under heavy loads. SAE 80W-90, API service classification GL-5. Available in 8 oz. bottles. Multiple of 12. **Not for marine use.**

8 oz. bottle (multiples of 12)	08208-0080
-----------------------------------	------------

Power Steering Fluid

Unique Honda formula designed to give top performance and protection. For use with H5013, H5518, and RT5000 hydraulics and the steering system of the H6522. Available in 12 oz. bottles. Multiple of 12.

12 oz. bottle (multiples of 12)	08206-9002PE
------------------------------------	--------------

Note: Products may be multi-packaged.

OILS, CHEMICALS, PAINT, & FUEL CANS

Service Chemicals

Antiseize

Protects up to 2600°F. Waterproof. Protects against rust and corrosion caused by chemicals. Excellent for threaded fittings. 8 oz. container.

8 oz. container	08732-AS000
-----------------	-------------



Contact/Brake Cleaner*

Cleans grease and oils from electrical components and brake systems. New formula dries fast and leaves no residue. Won't harm most plastic, rubber, or painted surfaces. Available in 15 oz. aerosol can. Multiple of 12.

*Not for sale or use in California.

15 oz. can	08732-CBL49
------------	-------------



White Lithium Grease

Heavy-duty general purpose lubricant sets up quickly. Available in 12 oz. aerosol can. Multiple of 12.

12 oz. can (multiples of 12)	08732-WLG00
---------------------------------	-------------



Carburetor Cleaner (Non-Chlorinated) 50 State Legal

100% free of chlorinated solvents. Safely removes gum, varnish, and deposits from carburetor components. Available in 12 oz. aerosol can. *Specially formulated for use in California.*

12 oz. can	08732-CC000
------------	-------------

Contact/Brake Cleaner

Specifically formulated for California. Available in 15 oz. aerosol can. Multiple of 12.

15 oz. can (multiples of 12)	08732-CBCCA
---------------------------------	-------------

Hondalube/Rust Penetrant

Displaces moisture, protects against rust and corrosion. Low VOC formula; meets current CARB and OTC standards. Contains no chlorinated solvents or CFCs.

Hondalube/Rust Penetrant	08732-RP000
--------------------------	-------------



Note: Products may be multi-packaged.

OILS, CHEMICALS, PAINT, & FUEL CANS

Service Chemicals (cont.)

Silicone Spray

Eliminates squeaks and sticking while lubricating and protecting. Protects, preserves, and waterproofs fabrics, leathers, and rubber. Available in 12 oz. aerosol can. Multiple of 12.

12 oz. can (multiples of 12)	08732-SS000
---------------------------------	-------------



Spray Cleaner and Polish

Superior performance and economy. Cleans, polishes, and protects paint, plastic, glass, vinyl, and rubber. Repels water, blocks UV rays, reduces dust build-up. Available in 14 oz. aerosol can. Multiple of 12.

14 oz. can (multiples of 12)	08732-SCP00
---------------------------------	-------------



Assembly and Repair

Hondalock1

Low strength threadlock for frequently removed/low torque fasteners. Carded 10 cc bottle. Multiple of 6.

10 cc bottle (multiples of 5)	08713-0001
----------------------------------	------------



Hondalock 2

Medium strength threadlock for medium-torque fasteners. Carded 10 cc bottle. Multiple of 6.

10 cc bottle (multiples of 6)	08713-0002
----------------------------------	------------



Hondalock 2HT

High temperature threadlock for medium-torque fasteners in high-heat applications, such as exhaust studs. Carded 10 cc bottle. Multiple of 6.

10 cc bottle (multiples of 6)	08713-0004
----------------------------------	------------



Note: Products may be multi-packaged.

OILS, CHEMICALS, PAINT, & FUEL CANS

Assembly and Repair (cont.)

Hondalock 3

High-strength threadlock for high-torque fasteners or semi-permanent applications. Carded 10 cc bottle. Multiple of 6.

10 cc bottle (multiples of 6)	08713-0003
----------------------------------	------------



Dielectric Grease

Non-conductive water-proofing compound. Insulates electrical connections. Adheres to most surfaces. Seals out moisture, dirt, and corrosion. Carded .5 oz. tube. Multiple of 6.

.5 oz tube (multiples of 6)	08798-0001
--------------------------------	------------



Moly 60 Paste

60% Moly grease formula. Contents are solid and will not separate at room temperature. Recommended for bearings, gears and other high-pressure/high-temperature applications. Use where Moly 45 is suggested. Carded .3 oz. tube. Multiple of 1.

.3 oz tube (multiples of 1)	08734-0001
--------------------------------	------------



Note: Products may be multi-packaged.

OILS, CHEMICALS, PAINT, & FUEL CANS

Adhesives and Liquid Gaskets

Hondabond 4

Semi-drying liquid gasket. Seals with a tough, elastic film, yet removes easily. Solvent-based formula resists gasoline. Carded 3.5 oz. tube. Multiple of 6.

3.5 oz. tube (multiples of 6)	08717-1194
----------------------------------	------------



Hondabond HT

High-temperature silicone liquid gasket. Non-acidic, will not corrode aluminum. For use in areas not requiring solid gaskets. Carded 1.9 oz. tube. Multiple of 1.

1.9 oz. tube (multiples of 1)	08718-0004
----------------------------------	------------



Weatherstrip Cement

A permanent waterproof adhesive that adheres to rubber, plastic, metal. Also works for vinyl repair. Carded 5 oz. tube. Multiple of 6.

5 oz. tube (multiples of 6)	08712-0002
--------------------------------	------------

Handgrip Cement

For use when installing all PVC-type grips on handles, levers etc. Carded 1 oz. tube.

1 oz. tube	08712-0001
------------	------------



Cleaners and Polishers

Hondabrite

Genuine S-100® in a mid-size package. Easy-to-use cleaner; simply spray on and hose off. Sprayer comes on 20 oz. bottle. Multiple of 12.

20 oz. bottle (multiples of 12)	08732-0020B
32 oz. bottle (multiples of 12)	08732-0032



Note: Products may be multi-packaged.

OILS, CHEMICALS, PAINT, & FUEL CANS

Fuel/Gas Cans (No-Spill®)

No-Spill fuel cans feature a unique thumb button controlled fuel spout for easy, controlled pouring. This design allows for more precise product fueling, reducing spills and overflows. High Flow Rate (up to 3 gal/min), CARB Compliant & Child Resistant.

For warranty call 913-888-9200 or e-mail warranty@nospill.com.

Fuel/Gas Cans

Description	Part Number	Multiple	Description	Part Number	Multiple
1.25 Gal Gas Can	06176-1415-C6 ^{FM}	6	5 Gal Kerosene	06176-1456C ^{FM}	4
2.5 Gal Gas Can	06176-1405-C6 ^{FM}	6	5 Gal Diesel	06176-1457C ^{FM}	4
5 Gal Gas Can	06176-1450C ^{FM}	4			

Replacement Parts

No-Spill Nozzle Assy.*	06176-6131C ^{FM}	1	No-Spill Nozzle Assy.**	06176-6132C ^{FM}	1
Nozzle & Cap O-Ring	06176-6235 ^{FM}	1	No-Spill Spout Extension	06176-0206 ^{FM}	12




NOZZLE & CAP ASSY.



NO-SPILL SPOUT EXTENSION



**CHILD-RESISTANT POST
USE 6132C NOZZLE ASSY.



*CHILD-RESISTANT NECK RING
USE 6131C NOZZLE ASSY.

Fuel Tester

Description	Part Number
E85 Fuel Tester	07AAJ-E85A100

Note: Products may be multi-packaged.