
HONDA

GC Series Engines



With a GC Series engine at the heart of your home-use power equipment, you'll be in business.

he Honda GC Series offers powerful, versatile functionality that will add great competitive value to any engine-powered product. These compact, lightweight 4-stroke engines were specifically designed for home-use power equipment applications. Featured innovations include the world's first internal timing belt, the superior efficiency and performance of an overhead cam layout and the durability and light weight of uniblock construction. Not to mention the same legendary reliability you've come to expect from the leader in 4-stroke engine technology. Put a Honda GC Series engine to work for you and you'll quickly see why – when it comes to power, we mean business.

The lightest engines in their class

easier to operate.

A revolutionary combination of the world's first internal timing belt, a tough nylon overhead cam and uniblock construction has made the GC Series lighter and more compact than any engine in its class. Plus, simple construction has minimized the number of parts, making the engine reliable and

Dramatically improved sound quality

Power equipment users and their neighbors will prefer the quiet operation offered by the GC Series' built-in timing belt. Valvetrain and gear noise have also been minimized for a better quality engine sound that is distinctly easier on the ears – a feature sure to be appreciated by users and bystanders alike.

Consistent, dependable power

The wide, flat, powerful torque offered by Honda's GC Series engines helps reduce engine speed drop associated with sudden load increases for smoother, less-troublesome, all-around performance.

Fast, easy, reliable starting

GC Series engines feature a horizontal cross-flow intake port that smoothes the flow of fuel into the combustion

chamber for quick, reliable

starts that require no special skills. Automatic mechanical decompression further ensures easy starting.



Honda Auto Choke System

This system has been developed for use on GCV160 and GCV190 engines in fixed-throttle lawn mower applications. This user-friendly system is truly automatic, eliminating levers and cables. The engine starts easily whether cold or hot and is ready to use immediately. Once the engine is up and running, the Auto Choke automatically returns to an optimal operating position.



Reduced maintenance and fuel consumption


A truly innovative combination of a compact combustion chamber, overhead cam configuration and uniblock construction significantly reduces fuel and oil consumption as compared to conventional side-valve engines. Honda's DuaLube™ System achieves full engine lubrication by combining governor slinger paddles and an oil-delivering timing belt. Also, simple construction reduces many potential maintenance needs, making Honda's GC engine one of the most efficient and cost-effective engines available.

Honda's Compact OHC Layout

Superior efficiency and performance in a smaller package

As the name implies, overhead cam (OHC) engines have their camshafts positioned in the cylinder head above the combustion chamber. Valves are located in the roof of the combustion chamber (instead of at the side) to offer the same combustion-related advantages as OHV engines. The OHC layout builds on these advantages by reducing the number of valvetrain components and allowing them to be lighter and stronger, thereby making the engine more compact and lightweight overall.

Overhead Cam, Internal Timing Belt




Horizontal Shaft

Honda GC Engines provide an ideal source of reliable, lightweight power for a variety of consumer products including pressure washers, pumps, compressors and portable generators.

GC160




Engine Type	Air-cooled, 4-Stroke, OHC, single cylinder
Bore x Stroke	2.5" x 2.0" (64 x 50 mm)
Displacement	9.8 cu in (160 cm3)
Compression Ratio	8.5 : 1
Net Power (kW/rpm)*	4.6HP (3.4kW) at 3,600 rpm
Net Torque*	6.9 lbs ft (9.4 Nm) at 2,500 rpm
PTO Shaft Rotation	Counterclockwise (from PTO shaft side)
Ignition System	Transitorized Magneto
Starting System	Recoil or Electric Starter
Carburetor	Horizontal type butterfly valve
Lubrication System	Forced Splash
Governor System	Centrifugal Mechanical
Air Cleaner	Dry (paper) type
Oil Capacity	0.61 US qt (0.58 I)
Fuel Tank Capacity (liter)	1.9 US qt (1.8I)
Dimensions (L x W x H)	13.3" (337mm) x 14.5" (369mm) x 13.0" (331mm)
Dry Weight	25.4 lbs (11.5 kg)



GC190




Air-cooled, 4-Stroke, OHC, single cylinder
2.7" x 2.0" (69 x 50 mm)
11.4 cu in (187 cm3)
8.5:1
5.2HP (3.9kW) at 3,600 rpm
8.3 lbs ft (11.2 Nm) at 2,500 rpm
Counterclockwise (from PTO shaft side)
Transitorized Magneto
Recoil or Electric Starter
Horizontal type butterfly valve
Forced Splash
Centrifugal Mechanical
Dry (paper) type
0.61 US qt (0.58 I)
1.9 US qt (1.8I)
13.6" (345mm) x 14.5" (369mm) x 13.0" (331mm)
29.1 lbs (13.2 kg)




Shaft Types

* The power rating of the engines indicated in this document measures the net power output at 3600 rpm and net torque at 2500 rpm, as tested on a production engine. Mass production engines may vary from this value. Actual power output for the engine installed in the final machine will vary depending on numerous factors, including the operating speed of the engine in application, environmental conditions, maintenance and other variables.

Q-type





V-type



D-type Stepped & Keyed




Vertical Shaft

Honda GCV Engines offer lawn mower users (and their neighbors!) a quiet, yet powerful and lightweight combination for a variety of demanding mowing applications. The GCV is also an excellent choice for residential-use pressure washers.

GCV160




	Engine Type	Air-cooled, 4-Stroke, OHC, single cylinder
	Bore x Stroke	2.5" x 2.0" (64 x 50 mm)
	Displacement	9.8 cu in (160 cm3)
	Compression Ratio	8.5 : 1
	Net Power (kW/rpm)*	4.4HP (3.3kW) at 3,600 rpm
	Net Torque*	6.9 lbs ft (9.4 Nm) at 2,500 rpm
	PTO Shaft Rotation	Counterclockwise (from PTO shaft side)
	Ignition System	Transitorized Magneto
	Starting System	Recoil or Electric Starter
	Carburetor	Horizontal type butterfly valve
	Lubrication System	Forced Splash
	Governor System	Centrifugal Mechanical
	Air Cleaner	Dry (paper) type
	Oil Capacity	0.58 US qt (0.55 I)
	Fuel Tank Capacity (liter)	0.98 US qt (0.93I)
	Dimensions (L x W x H)	15.5" (395mm) x 12.8" (327mm) x 13.9" (355mm)
	Dry Weight	22.2 lbs (10.1kg)



GCV190




Engine Type	Air-cooled, 4-Stroke, OHC, single cylinder
Bore x Stroke	2.7" x 2.0" (69 x 50 mm)
Displacement	11.4 cu in (187 cm3)
Compression Ratio	8.5 : 1
Net Power (kW/rpm)*	5.1HP (3.8kW) at 3,600 rpm
Net Torque*	8.3 lbs ft (11.3 Nm) at 2,500 rpm
PTO Shaft Rotation	Counterclockwise (from PTO shaft side)
Ignition System	Transitorized Magneto
Starting System	Recoil or Electric Starter
Carburetor	Horizontal type butterfly valve
Lubrication System	Forced Splash
Governor System	Centrifugal Mechanical
Air Cleaner	Dry (paper filter)
Oil Capacity	0.58 US qt (0.55 I)
Fuel Tank Capacity (liter)	0.98 US qt (0.93I)
Dimensions (L x W x H)	15.5" (395mm) x 12.8" (327mm) x 13.9" (355mm)
Dry Weight	27.6 lbs (12.5 kg)



Shaft Types

N1-type





N2-type




N3-type






* The power rating of the engines indicated in this document measures the net power output at 3600 rpm and net torque at 2500 rpm, as tested on a production engine. Mass production engines may vary from this value. Actual power output for the engine installed in the final machine will vary depending on numerous factors, including the operating speed of the engine in application, environmental conditions, maintenance and other variables.







Unique Honda blade brake clutch assembly is available as an option for use only on Honda GCV Series engines for lawn mower applications.



Honda Engine Distributors

ALABAMA

MTA DISTRIBUTORS SEE TENNESSEE

ALASKA

SCOTSCO, INC. SEE OREGON

TRU-POWER, INC. SEE SOUTHERN CALIFORNIA

ARKANSAS LIGHTBOURN EQUIPMENT SEE TEXAS

CALIFORNIA

Northern California PACE WEST, INC. www.pacelink.com 5850 Adler Circle Sacramento, CA 95828 (734) 453-6258 FAX (916) 383-6550 pace@pacelink.com

Southern California MTA DISTRIBUTORS SEE TENNESSEE

COLORADO

ANDERSON INDUSTRIAL ENGINES SEE NEBRASKA

CONNECTICUT

EASTERN EQUIPMENT, INC. SEE NEW HAMPSHIRE

DELAWARE

TIDEWATER SEE VIRGINIA

DISTRICT OF COLUMBIA

TIDEWATER SEE VIRGINIA

FLORIDA

MTA DISTRIBUTORS SEE TENNESSEE

GEORGIA

MTA DISTRIBUTORS SEE TENNESSEE

HAWAII

SCOTSCO, INC. SEE OREGON

SCOTSCO, INC. SEE OREGON

ILLINOIS

PACE, INC. SEE MICHIGAN

INDIANA

PACE, INC SEE MICHIGAN

IOWA POWER PRODUCTS www.iowapower.com 522 Brooks Road Iowa Falls, IA 50126 (641) 648-2507 FAX (641) 648-5013 iowapower@iowapower.com

KANSAS

ANDERSON INDUSTRIAL ENGINES www.ai-engines.com 80 S. James Street Kansas City, KS 66118 (913) 321-7040 Fax (913) 321-7341 info@ai-éngines.com

KENTUCKY

MTA DISTRIBUTORS SEE TENNESSEE

Northern Kentucky/ Cincinnati area HAYWARD DISTRIBUTING SEE OHIO

LOUISIANA LIGHTBOURN EQUIPMENT SEE TEXAS

EASTERN EQUIPMENT, INC. SEE NEW HAMPSHIRE

MARYLAND TIDEWATER SEE VIRGINIA

MASSACHUSETTS

EASTERN EQUIPMENT, INC. SEE NEW HAMPSHIRE

MICHIGAN

PACE, INC. www.pacelink.com 739 South Mill Plymouth, MI 48170 (734) 453-6258 FAX (734) 453-5320 pace@pacelink.com

Northern Michigan ENGINE POWER INC. SEE WISCONSIN

MINNESOTA

GREAT NORTHERN EQUIP. DIST. www.gnedi.com 20195 South Diamond Lake Rd. Rogers, MN 55374 (763) 428-2237 FAX (763) 428-4821 chrisb@gnedi.com

MISSISSIPPI

MTA DISTRIBUTORS SEE TENNESSEE

MISSOURI

ANDERSON INDUSTRIAL ENGINES SEE KANSAS

MONTANA SCOTSCO, INC.

SEE OREGON

NEBRASKA

ANDERSON INDUSTRIAL ENGINES www.ai-engines.com 13423 Lynam Drive Omaha, NE 68138 (402) 558-8700 FAX (402) 558-8249 info@ai-engines.com

NEVADA

PACE WEST, INC. SEE NORTHERN CALIFORNIA

TRU-POWER, INC. SEE SOUTHERN CALIFORNIA

NEW HAMPSHIRE

EASTERN EQUIPMENT, INC. www.easternequipmentinc.com 6 "B" Street Derry, NH 03038 (603) 437-0407 FAX (603) 437-0815 gmiscoeastern@aol.com

NEW JERSEY

TIDEWATER SEE VIRGINIA

NEW MEXICO LIGHTBOURN EQUIPMENT

SEE TEXAS **NEW YORK**

EASTERN EQUIPMENT, INC. SEE NEW HAMPSHIRE

NORTH CAROLINA

TIDEWATER SEE VIRGINIA

NORTH DAKOTA

GREAT NORTHERN EQUIPMENT SEE MINNESOTA

HAYWARD DISTRIBUTING www.haydist.com 4061 Perimeter Drive Columbus, OH 43228 (614) 272-5953 FAX (614) 272-5959 mbudde@haydist.com

North Western Ohio PACE, INC. SEE MICHIGAN

OKLAHOMA

LIGHTBOURN EQUIPMENT SEE TEXAS

OREGON

SCOTSCO, INC. www.scotsco.com 16750 SE Kens Ct. Milwaukie, OR 97267 (503) 653-7791 FAX (503) 653-7838 tfrandsen@scotsco.com

PENNSYLVANIA HAYWARD DISTRIBUTING SEE OHIO

RHODE ISLAND

EASTERN EQUIPMENT, INC SEE NEW HAMPSHIRE

SOUTH CAROLINA

TIDEWATER SEE VIRGINIA

SOUTH DAKOTA

GREAT NORTHERN **EQUIPMENT** SEE MINNESOTA

TENNESSEE

MTA DISTRIBUTORS www.mtadistributors.com 555 Hickory Hills Blvd. Whites Creek, TN 37189-9244 (615) 299-8777 FAX (615) 299-0464 custòmerservice @mtadistributors.com

TEXAS

LIGHTBOURN EQUIPMENT www.lightbournequipment.com 13655 Welch Road Dallas, TX 75244 (972) 233-5151 FAX (972) 661-0738 sales@lightbournequipment.com

UTAH PACE WEST, INC. SEE NORTHERN CALIFORNIA

VERMONT

EASTERN EQUIPMENT, INC. SEE NEW HAMPSHIRE

VIRGINIA

TIDEWATER POWER EQUIP. CO. www.tpeco.com 3760 East Virginia Beach Blvd. Norfolk, VA 23502 (757) 464-1755 FAX (800) 288-8953 info@tpeco.com

WASHINGTON SCOTSCO, INC. SEE OREGON

WEST VIRGINIA

HAYWARD DISTRIBUTING

WISCONSIN ENGINE POWER, INC. www.enginepower.com 1830 Executive Drive Oconomowoc, WI 53066 (262) 567-8575 FAX (262) 567-2556 postoff@enginepower.com

WYOMING

ANDERSON INDUSTRIAL ENGINES SEE NEBRASKA

Honda. The largest manufacturer of gasoline engines in the world.



HONDA

Visit us at engines.honda.com

For optimum performance and safety we recommend you read the owner's manual before operating your Honda Power Equipment. Specifications subject to change without notice.

