

PORTABLE OUTBOARDS BROCHURE



HONDA
MARINE

BF2.3

Reliable Power in a Small Package.

The BF2.3 is one of the world's lightest four-stroke outboards. At less than 30 pounds*, this engine's weight rivals that of many electric motors, without the battery. It's ideal for dinghies, car-toppers, and other small craft.

The BF2.3 features 15% more power than its predecessor. It boasts excellent handling and maneuverability, even in tight areas, thanks to full 360° steering, a pivoting tiller handle, and a centrifugal clutch with a twist grip throttle. The internal fuel tank is 12% larger than its predecessor, providing about an hour of operation at wide open throttle. A front-mounted carrying handle ensures easy transport and installation.

The BF2.3 offers an advanced design that delivers power and performance without sacrificing portability. It's everything you want in a Honda outboard to go!



Your Honda can continue to look and perform like new, thanks to our corrosion protection system. It includes a durable, multi-layered paint process, sacrificial anodes, aluminum components, and waterproof connectors.



*S-Type Dry Weight

BF8, BF9.9 BF15, BF20

Portable, Lightweight, and Powerful.


The Honda BF8 and BF9.9, and BF15 and BF20 are the definition of convenience. Weighing in at just 92 pounds* and 104 pounds* respectively, these portables are lighter than most conventional 9.9 HP outboards. But they're all Honda, loaded with features and famous for quiet, fuel-efficient performance and legendary reliability.

All models feature fully regulated charging systems and harnesses. All models also feature the largest alternator in their class, ensuring plenty of power for your electronics, even when trolling. Plus Autostart Enrichment for easy starting and quick warm-up.

Select models are available with our optional Power Thrust Design for even more boost. Power Thrust Design delivers a whopping 60% more thrust in reverse and 15% more in forward.

With easy one hand starting, Shallow Water Drive, available Power Tilt, and much more, these portables offer the ideal combination of power, portability, and dependability.

*S-Type Dry Weight



BF2.3 Features Include: FOLD UP OR DOWN TILLER HANDLE · INTEGRAL FUEL TANK · 15" OR 20" SHAFT LENGTHS
EMERGENCY STOP SWITCH · FRONT MOUNT CARRYING HANDLE · LOCKABLE CLAMP HANDLES
Honda CORROSION PROTECTION · CENTRIFUGAL CLUTCH WITH TWIST GRIP THROTTLE

BF8, BF9.9, BF15, BF20 Features Include: AUTOSTART ENRICHMENT · LARGE DISPLACEMENT · REVERSE EXHAUST RELIEF
REGULATED CHARGING SYSTEM W/BATTERY CHARGING HARNESS · Honda CORROSION PROTECTION
POWER THRUST MODELS (BFP MODELS) · POWER TILT AVAILABLE · SHALLOW WATER DRIVE · FORWARD MOUNT SHIFT LEVER
PROP, TANK, & FUEL LINE INCLUDED



PORTABLE SERIES SPECS



		BF20*	BF15*	BF9.9*	BF8*	BF2.3
Type		4-Stroke SOHC 2 Cylinders/4 Valves	4-Stroke SOHC 2 Cylinders/4 Valves	4-Stroke SOHC 2 Cylinders/4 Valves	4-Stroke SOHC 2 Cylinder/4 Valves	4-Stroke OHV 1 Cylinder/2 Valves
Displacement		350 cc (21.5 cu in)	350 cc (21.5 cu in)	222 cc (13.5 cu in)	222 cc (13.5 cu in)	57.2 cc (3.49 cu in)
Bore & Stroke		59 x 64 mm (2.3 x 2.5 in.)	59 x 64 mm (2.3 x 2.5 in.)	58 x 42 mm (2.3 x 1.7 in.)	58 x 42 mm (2.3 x 1.7 in.)	45 x 36 mm (1.8 x 1.4 in.)
Full Throttle rpm Range		5000-6000 rpm	4500-5500 rpm	5000-6000 rpm	4500-5500 rpm	5000-6000 rpm
Rated Power		20 HP @ 5500 rpm	15 HP @ 5000 rpm	9.9 HP @ 5500 rpm	8 HP @ 5000 rpm	2.3 HP @ 5500 rpm
Cooling System		Water Cooled	Water Cooled	Water Cooled	Water Cooled	Forced Air
Fuel Delivery		1 Carburetor	1 Carburetor	1 Carburetor	1 Carburetor	1 Carburetor
Ignition System		PGM-IG	PGM-IG	PGM-IG	PGM-IG	Transistorized Pointless
Starting System		Electric/Recoil	Electric/Recoil	Electric/Recoil	Electric/Recoil	Recoil
Exhaust		Through Hub	Through Hub	Through Hub	Through Hub	Under Water, Above Propeller
Octane		86	86	86	86	86
Drive						
Gear Ratio		2.08:1	2.08:1	2.33:1	2.33:1	2.42:1
Gear Shift		F-N-R	F-N-R	F-N-R	F-N-R	360° Pivot
Equipment						
Alternator	(Electric Start)	12A w/Harness	12A w/Harness	12A w/Harness	12A w/Harness	-
	(Manual Start)	6A w/Harness	6A w/Harness	6A w/Harness	6A w/Harness	-
Propeller		4-Blade Aluminum	4-Blade Aluminum	4-Blade Aluminum	4-Blade Aluminum	3-Blade Plastic
Diameter x Pitch	Standard	9-1/4 x 10 in.	9-1/4 x 10 in.	9-1/4 x 8 in.	9-1/4 x 8 in.	7-1/4 x 7-1/2 in.
	Power Thrust	-	10 x 7-5/8 in.	10 x 6.5 in.	10 x 6.5 in.	-
Power Tilt		Available	Available	Available	Available	NA
Oil Pressure Alert		Standard	Standard	Standard	Standard	-
Temperature Alert		Standard	Standard	Standard	Standard	-
Rev-Limiter		Standard	Standard	Standard	Standard	-
Speedometer Pickup		Standard	Standard	Standard	Standard	-
Fuel Tank & Hose		Standard, 3 Gal. Fuel Tank	Standard, 3 Gal. Fuel Tank	Standard, 3 Gal. Fuel Tank	Standard, 3 Gal. Fuel Tank	-
Dimensions						
Overall Width		350 mm/13.8 in.	350 mm/13.8 in.	345 mm/13.6 in.	345 mm/13.6 in.	285 mm/11.2 in.
Recommended	(S-type)	381 mm/15 in.	381 mm/15 in.	381 mm/15 in.	381 mm/15 in.	381 mm/15 in.
Transom Height	(L-type)	508 mm/20 in.	508 mm/20 in.	508 mm/20 in.	508 mm/20 in.	508 mm/20 in.
	(X-type)	-	635 mm/25 in.	635 mm/25 in.	635 mm/25 in.	-
Dry Weight	(S-type)	47 kg/104 lbs.	47 kg/104 lbs.	42 kg/92 lbs.	42 kg/92 lbs.	13 kg/29.5 lbs.
	(L-type)	50 kg/110 lbs.	50 kg/110 lbs.	44 kg/98 lbs.	44 kg/98 lbs.	14 kg/31 lbs.
	(X-type)	-	52 kg/115 lbs.	48 kg/107 lbs.	48 kg/107 lbs.	-
CARB RATING		★★★	★★★	★★★	★★★	★★★

*For Power Thrust model specifications, please visit marine.honda.com. All Honda outboards are power rated with NMMA procedures. Specifications are subject to change.



Honda's True 5 Limited Warranty is the same on the last day of ownership as it is on the first day. This transferable, five-year, factory-direct, non-declining warranty is simply the best warranty you will find. For Honda Marine warranty information, visit marine.honda.com/support/warranty.

HondaCare
Protection Plans

Scan the QR code for more information or ask your Honda Marine Dealer about HondaCare® Protection Plans.



marine.honda.com

All boaters shown are wearing personal flotation devices. Always wear a personal flotation device while boating and read your owner's manual. All Honda outboards meet EPA and CARB emission levels. All images contained herein are either owned by American Honda Motor Co., Inc., or used under a valid license. It is a violation of federal law to reproduce these images without express written permission from American Honda Motor Co., Inc., or the individual copyright owner of such images. All rights reserved. Honda, the Honda Marine logo, Honda Marine model names and their trade dress are trademarks of Honda Motor Co., Ltd. used under license by American Honda Motor Co., Inc. Many Honda engine, outboard, power equipment and vehicle model names, and associated trade dress may be seen at www.honda.com. © 2025 American Honda Motor Co., Inc. M0259