HONDA MARINE

Performance Report





Performance Data				
RPM	MPH	GPH	MPG	RANGE*
650	4.21	0.67	6.33	513.02
1000	6.64	1.24	5.34	432.24
1500	8.55	2.42	3.53	286.07
2000	11.14	3.80	2.93	237.46
2500	18.13	5.51	3.29	266.48
3000	26.01	7.64	3.41	275.81
3500	32.72	8.65	3.78	306.43
4000	38.64	12.60	3.07	248.45
4500	43.13	16.66	2.59	209.63
5000	48.79	20.70	2.36	190.91
5500	52.99	25.78	2.06	166.48
5948	56.79	31.08	1.83	148.00

Acceleration (0-20 MPH) - 4.9 Seconds

*Testing was completed using Pre Production engines



Liigiile			
Honda BF350A			
ngine Type:	60° V-8 VTEC		

Horsepower:	350
Displacement:	5.0L
Operating Range:	5000-6000
Weight:	754
Gear Ratio:	1.79:1
Control Type:	iST

NORTH RIVER

North River

1750 Green Siding RD Roseburg, OR 97471 541-673-2438

www.northriverboats.com

2023 North River SeaHawk 23 RTF

Material:	Aluminum
Length:	25'2"
Beam:	8'6"
Weight w/o Engine:	2860 lbs.
Max HP:	350
Fuel Capacity in Gallons:	90
Transom Height:	25"
Steering:	Hydraulic
Jack Plate:	No
Mounting Hole:	#2
	Length: Beam: Weight w/o Engine: Max HP: Fuel Capacity in Gallons: Transom Height: Steering: Jack Plate:

Test Conditions		
Elevation (ft):	10	
Wind Velocity (mph):	5	
Air Temperature (°F):	81	
Water Conditions:	Calm	
Fuel Load in Gallons:	60	
Number of People:	5 People	

Propeller

				-	
Honda	L	_e	XO	r	Plus

Material:	Stainless Stee
Diameter/Pitch:	16 x 19
No. of Blades:	3
Part Number:	58130-ZVPA-0032
Prop Vent Hole:	NA

Data presented should be used as a guide. Actual results may vary due to changes in weather, water conditions, elevation and load. Honda reserves the right to change the specifications on this report or it's engines without notice

© 2023 American Honda Motor Co.,Inc



^{* -} Fuel range (Miles) data based on 90% of fuel capacity