



Performance Criteria



Test Data

RPM	MPH	GPH	MPG
Idle	ı	-	-
1000	4.7	1.2	3.92
1500	6.6	1.9	3.47
2000	7.9	2.7	2.93
2500	9.7	4.3	2.26
3000	16.9	5.4	3.13
3500	20.6	7.7	2.68
4000	24.4	10.6	2.30
4500	29.1	14.6	2.00
5000	33.3	20.3	1.64
5500	36.8	24.5	1.50
6000 (WOT)	39.8	29.1	1.37

Manufacturer: Glacier Bay

Model: 2640

Hull Type: Fiberglass

Test Date: February 18, 2005 Mfg. Address: 14298 169th Dr. SE

Monroe, WA 98272

Length:	26' 0"
Beam:	8' 9"
Weight:	3,900 lbs
Max HP:	300 hp
Fuel Capacity:	180 gal

Power: Twin BF150s

Horsepower:	150
Displacement:	2.4 L
Weight:	485 lbs.
Gear Ratio:	2.14:1
Mounting Height:	2 nd Hole
Prop (Material/Blades)	Stainless (3)
Prop Manufacturer	Honda
Prop (Diameter/Pitch)	14 ¼ x 17

Test Conditions

No. of People:	2
Fuel Load:	
Total Weight:	5,786 lbs
Air Temperature:	
Test Conditions	
Elevation:	
Wind Velocity:	

Data may vary due to changes in weather, elevation and load conditions. Speed data gathered by GPS receiver.

Time to Plane: Seconds

Acceleration 0~20 MPH: Seconds