



# Performance Criteria

Photo Unavailable

**Manufacturer:** Lund  
**Model:** 1850 Tye GS  
**Hull Type:** Aluminum  
**Test Date:** September 7, 2003  
**Mfg. Address:** PO Box 248  
 New York Mills, MN 56567

### Test Data

RPM	MPH	GPH	MPG
Idle	-	-	-
1000	4.7		
1500	6.5		
2000	7.7		
2500	8.1		
3000	11.7		
3500	22.8		
4000	27.7		
4500	31.0		
5000	34.4		
5500	39.7		
6000	42.8		

Length:	18' 6"
Beam:	8' 0"
Weight:	1,820 lbs
Max HP:	200 hp
Fuel Capacity:	45 gal

### Power: Singe BF150

Horsepower:	150
Displacement:	2.4 L
Weight:	485 lbs.
Gear Ratio:	2.14:1
Mounting Height:	2 <sup>nd</sup> Hole
Prop (Material/Blades)	Stainless (3)
Prop Manufacturer	Solas
Prop (Diameter/Pitch)	14 ¼ x 17

### Test Conditions

No. of People:	2
Fuel Load:	
Total Weight:	3,181 lbs
Air Temperature:	
Test Conditions	
Elevation:	
Wind Velocity:	

Data may vary due to changes in weather, elevation and load conditions. Speed data gathered by GPS receiver.

Time to Plane: Seconds

Acceleration 0~20 MPH: Seconds