



Performance Criteria

Photo Unavailable

Test Data

RPM	MPH	GPH	MPG
Idle	ı	ı	ı
1000	4.9	0.9	5.4
1500	6.8	1.5	4.5
2000	8.2	2.5	3.3
2500	9.0	4.2	2.1
3000	12.2	6.8	1.8
3500	23.6	7.5	3.1
4000	29.3	11.2	2.6
4500	34.4	12.4	2.8
5000	38.5	18.5	2.1
5500	42.2	21.2	2.0
6000	46.0	25.5	1.8

Manufacturer: McKee Craft

Model: 24 Freedom **Hull Type:** Fiberglass

Test Date: February 11, 2004 **Mfg. Address:** 404 Sandy St.

Fairmont, NC 28430

Length:	24' 0"
Beam:	8' 6"
Weight:	3,600 lbs
Max HP:	400 hp
Fuel Capacity:	180 gal

Power: Twin BF150s

Horsepower:	150
Displacement:	2.4 L
Weight:	485 lbs.
Gear Ratio:	2.14:1
Mounting Height:	2 nd Hole
Prop (Material/Blades)	Stainless (3)
Prop Manufacturer	Power Tech OFS
Prop (Diameter/Pitch)	15 ¼ x 19

Test Conditions

No. of People:	2
Fuel Load:	
Total Weight:	6,626 lbs
Air Temperature:	
Test Conditions	
Elevation:	
Wind Velocity:	

Data may vary due to changes in weather, elevation and load conditions. Speed data gathered by GPS receiver.

Time to Plane: Seconds

Acceleration 0~20 MPH: Seconds