



| RPM           | МРН  | GPH | MPG  |
|---------------|------|-----|------|
| Idle          | 3.4  |     |      |
| 1000          | 3.9  |     |      |
| 1500          | 5.4  | .7  | 7.7  |
| 2000          | 9    | 2.1 | 4.3  |
| 2500          | 13.8 | 2.4 | 5.75 |
| 3000          | 19.6 | 2.9 | 6.8  |
| 3500          | 24.2 | 4.1 | 6.9  |
| 4000          | 29   | 6.4 | 4.5  |
| 4500          | 31.9 | 7.9 | 4    |
| 5000          | 34.8 | 8.9 | 3.9  |
| 5500          | 34.8 | 8.9 | 3.9  |
| WOT<br>(5900) | 37.2 | 9.7 | 3.8  |



## Manufacturer: Pro Steelheader Model: Sea Predator 20

| Length:        | 20'        |
|----------------|------------|
| Beam:          | 8' 4"      |
| Weight:        | 1,600 lbs. |
| Max HP:        | 150        |
| Fuel Capacity: | 33 gal.    |

## Power: Single BF90

| Horsepower:            | 90                   |
|------------------------|----------------------|
| Displacement:          | 1.5 L                |
| Weight:                | 359 lbs.             |
| Gear Ratio:            | 2.33:1               |
| Mounting Height:       | 2 <sup>nd</sup> Hole |
| Prop (Material/Blades) | Aluminum             |
| Prop Manufacturer      | Solas                |
| Prop (Diameter/Pitch)  | 13 ¼ x 17            |

## **Test Conditions**

| No. of People:   | 2          |
|------------------|------------|
| Fuel Load:       | 15 gal.    |
| Total Weight:    | 2,472 lbs. |
| Air Temperature: | 50°        |
| Test Conditions  | Calm       |
| Elevation:       | 400'       |
| Wind Velocity:   | 0-5 mph    |

Data may vary due to changes in weather, elevation and load conditions. Speed data gathered by GPS receiver.

Time to Plane: 3.9 Seconds

Acceleration 0~20 MPH: 5.4 Seconds