



Performance Criteria



Manufacturer: Triton
Model: 2300 Walkaround
Hull Type: Fiberglass
Test Date: June 9, 2001
Mfg. Address: 15 Bluegrass Drive
 Ashland City, TN 37015

Test Data

RPM	MPH	GPH	MPG
Idle	-	-	-
1000	4.6		
1500	6.3		
2000	7.7		
2500	8.6		
3000	10.6		
3500	20.8		
4000	28.9		
4500	34.2		
5000	38.6		
5500	42.5		
5700 (WOT)	43.3		

Length:	23' 6"
Beam:	8' 6"
Weight:	3,100 lbs
Max HP:	300 hp
Fuel Capacity:	150 gal

Power: Single BF225

Horsepower:	225
Displacement:	3.5 L
Weight:	589 lbs.
Gear Ratio:	1.86:1
Mounting Height:	2 nd Hole
Prop (Material/Blades)	Stainless (3)
Prop Manufacturer	Precision
Prop (Diameter/Pitch)	14 1/4 x 17

Test Conditions

No. of People:	2
Fuel Load:	
Total Weight:	5,206 lbs
Air Temperature:	
Test Conditions	
Elevation:	
Wind Velocity:	

Data may vary due to changes in weather, elevation and load conditions. Speed data gathered by GPS receiver.

Time to Plane: Seconds

Acceleration 0~20 MPH: Seconds