



it *Performance Criteria*



Manufacturer: World Cat
Model: 266 TE
Hull Type: Fiberglass (Catamaran)
Test Date: November 28, 2001
Mfg. Address: 1090 W. St. James St.
 Tarboro, NC 27886

Test Data

RPM	MPH	GPH	MPG
Idle	-	-	-
1000	6.3	1.4	4.50
1500	8.5	2.9	2.90
2000	13.3	5.0	2.66
2500	20.2	9.0	2.25
3000	27.0	12.0	2.25
3500	33.5	18.5	1.81
4000	39.4	22.0	1.80
4500	44.9	27.0	1.66
5000	49.8	33.0	1.50
5500 (WOT)	54.0	38.0	1.42

Length:	26' 6"
Beam:	8' 6"
Weight:	4,400 lbs
Max HP:	450 hp
Fuel Capacity:	200 gal

Power: Twin BF225s

Horsepower:	225
Displacement:	3.5 L
Weight:	589 lbs.
Gear Ratio:	1.86:1
Mounting Height:	2 nd Hole
Prop (Material/Blades)	Stainless (3)
Prop Manufacturer	Solas
Prop (Diameter/Pitch)	14 3/4 x 21

Test Conditions

No. of People:	2
Fuel Load:	
Total Weight:	7.760 lbs
Air Temperature:	
Test Conditions	
Elevation:	
Wind Velocity:	

Data may vary due to changes in weather, elevation and load conditions. Speed data gathered by GPS receiver.

Time to Plane: Seconds

Acceleration 0~20 MPH: Seconds